

**AMENDED**  
**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER**  
**OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF**  
**NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office OCT 26 2006

Returned to applicant for correction NOV 06 2006

Corrected application filed NOV 13 2006

Map filed NOV 13 2006 under 74819

\*\*\*\*\*

The applicant **United States Gypsum Company** hereby makes application for permission to change the **Point of Diversion and Place of use** of water heretofore appropriated under **Permit 25768, Certificate 8402**

\*\*\*\*\*

1. The source of water is **Underground**
2. The amount of water to be changed **1.5 cfs**
3. The water to be used for **manufacturing and domestic**
4. The water heretofore permitted for **manufacturing and domestic**
5. The water is to be diverted at the following point **within the NW ¼ of the NW ¼ of Section 13, T.31N., R.23E., M.D.M., or at a point from which the NW corner of said Section 13 bears N61° 03' 39"W a distance of 1065.63 feet.**
6. The existing permitted point of diversion is located within **the NE¼ of the NE¼ of Section 14, T.31N., R.23E., M.D.M. or at the point from which the NE corner of said Section 14 bears N09°12'32"E, a distance of 1157.00 feet.**
7. Proposed place of use **S½, S½ of N½, Section 11; N½, N½ of S½ Section 14, T.31N., R. 23E., M.D.M.**
8. Existing place of use **Company Plant and allied facilities located in W½ of the SE¼, Section 11 and the Company village located in the E½ of the SW ¼, Section 11 and the NE ¼ of the NW ¼, Section 14. Storage tanks are located in the SE ¼ of the NE ¼, Section 14. All localities are in T.31N., R.23E., M.D.M.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **The water will be developed by means of a drilled well and pumped through pipelines to the place of use.**
12. Estimated cost of works **\$268,000.00**
13. Estimated time required to construct works **3 years**
14. Estimated time required to complete the application of water to beneficial use **5 years**

74949

15. Remarks: Annual consumptive use not to exceed 46,654,000 gallons.

By Randal L. Briggs  
s/ Randal L. Briggs, agent  
500 Damonte Ranch Parkway, Suite 1056  
Reno, NV 89521

Compared **hk/mt**\_\_\_\_\_

Protested\_\_\_\_\_

\*\*\*\*\*